



D1-CX DMX 512 D1-CX 1-kanalový konstantní napětí DMX512 a dekodér RDM

Cena	1 323.35 Kč
------	--------------------

Dostupnost	Dostupný
------------	-----------------

Doba zásilky	14 dnů
--------------	---------------

Katalogové číslo	2628
------------------	-------------

Výrobce	Mi.Light
---------	-----------------

Popis výrobku

Název produktu: 1-kanalový dekodér konstantního napětí DMX512 & RDM

Číslo modelu: D1-CX

Vstupní napětí: DC12~24V

Výstupní proud: 20A/kanál

Celkový výstupní proud: Max 20A

Vstupní signál: Dmx512, RDM

Obsadit 1 DMX adresu

Pracovní teplota: -20~60°C

1-channel constant voltage DMX512 & RDM decoder

Support RDM function | Optional dimming curve | PWM frequency is optional
Multiple protection





Multi-protection for your easy use

- ☆ Automatically detect when power on
- ☆ Anti-reverse connection protection
- ☆ Short-circuit protection
- ☆ Over current protection and recover function


PWM frequency is optional

PWM high frequency (2000Hz) or
low frequency (500Hz) optional




2 Dimming curves optional


Logarithmic dimming



Linear dimming



Connection diagram



Attention:

1. If the decoder is over 32pcs, or using the super long signal cable, you need DMX signal amplifier. Amplify signal cannot be over 5 times.
2. If there is overshoot effect due to the long signal cable or low quality circuit, please connect 0.25W 90-120 terminal resistance at the end of each DMX signal cable.





Packing Details



