

Odkaz na výrobek: <https://osvetleni-schodiste-led.cz/dmx-512-d5-w72-wall-washer-light-p-2636.html>

HIDOLUX® LEADER OF SMART LIFE



DMX 512 D5-W72 Wall Washer Light

Cena	9 968.35 Kč
Dostupnost	Dostupný
Doba záslky	14 dnů
Katalogové číslo	2636
Výrobce	Mi.Light



Popis výrobku

- **Product Name: 72W RGB+CCT LED Wall Washer Light (DMX512 & RDM)**
- Model No.: D5-W72
- Input Voltage: AC100~240V 50/60Hz
- Power: 72W
- Working Temp.: -20~45°C
- Color Temp.: 2700~6500K
- CRI: >80
- PF: >0.9
- Beam Angle: 15*60°
- Occupy 5 DMX Address
- Luminous Flux: R:280LM G:540LM B:150LM CW:1800LM WW:1650LM
-

72W RGB+CCT LED Wall Washer Light (DMX512&RDM)

Support RDM function | Optional dimming curve | IP66 Waterproof rate






Accord with DMX512 standard protocol Support RDM function

Comply with DMX512, DMX512 (1990), DMX512-A, RDM V1.0
(E1.20-2006 ESTA standard) International standard agreement




2 Dimming curves optional

Logarithmic dimming



Linear dimming



Change RGB+CCT colors freely
to make smart lighting atmosphere



IP66 Waterproof rate

Excellent waterproofness make the usage more safe




Simple and fast operation

Digital display, set DMX start address through button



Rotatable bracket for easy installation

180° rotatable bracket; Adjustable randomly; Easy adjust the beam angle



High lumen LED chips

Low power consumption and
luminance decrease;
Bright color and
high brightness



Optical lens

High lighting transmitting rate;
Wide beam angle and
long illumination distance

Stalinite cover

Strong hardness; Cold-resistant
and heat-resistant




Aluminum Alloy housing fast heat dissipation

High quality Aluminum housing;
Strong hardness, anti-corrosion



Connection Diagram



Attention: If more than 32 pcs DMX wall washer lights are connected or using the super long signal cable, you need DMX signal amplifier. Amplify signal cannot be over 5 times.

