

Odkaz na výrobek: <https://osvetleni-schodiste-led.cz/fut039s-p-miboxer-rgbccct-ovlada-vododoln-p-2890.html>

FUT039S-P Miboxer RGB+CCT ovladač - voděodolný

Cena	658.35 Kč
------	------------------

Dostupnost	Dostupný
------------	-----------------

Doba zásilky	4 dny
--------------	--------------

Katalogové číslo	2890
------------------	-------------

Výrobce	Mi.Light
---------	-----------------

Popis výrobku

Číslo modelu: FUT039S-P

Popis výrobku

- 2,4G RF dálkové ovládání
- 16 milionů barev na výběr
- Nastavitelná teplota barev
- Jas a sytost lze ovládat
- Funkce přenosu signálu činí ovládací vzdálenost neomezenou
- Podpora přepínání PWM vysoké frekvence (8 kHz) / nízké frekvence (500 Hz).
- DMX512 ovladatelný (potřebujete DMX512 LED vysílač)
- IP66 vodotěsný


Pokud hledáte produkt, který vám umožní udělat váš domov mnohem modernější, pak sáhněte po nabízeném LED stmívači, ovladač RGB + CCT bude volské oko. Ovladač umožňuje vzdálenou správu osvětlení a je přizpůsoben oblíbeným vícebarevným páskám. Řešení může dokonale odpovídat očekáváním a uspokojit potřeby všech zákazníků. Ovladač se také připojuje k aplikaci pro chytré telefony. Aniž byste museli vstávat z gauče, budete moci měnit barvu osvětlení nebo jeho intenzitu. Srdečně vás zveme, abyste sáhli po našem vysoce kvalitním produktu.



Waterproof RGB+CCT LED Controller (2.4G)

16 Millions colors | Saturation, brightness and color temp. adjustable | IP66





**2.4G RF
Remote Controllable**



**16 Millions of
colors to choose**



**Saturation
control**



**Color temperature
2700K~6500K**



**Stepless dimming
brightness**



DMX512 Controllable
Need DMX512 LED transmitter



Frequency switched
High(8KHz) / Low(500Hz)

Compatible Remote



FUT089
FUT089-B



FUT088



FUT092
FUT092-B




FUT096
FUT096-B




WL-Box1



B8



B4 / B4-B
T4



B3 / B3-B
T3



B0 / B0-B




S2-W / S2-B
S2-G

Signal transmitting

One controller can transmit the signals from the remote control to another controller within 30m, as long as there is a controller within 30m, the remote control distance can be limitless.

Modes synchronization

Different controllers can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.



Support smartphone app control and third party voice control

It need 2.4GHz gateway for smartphone control or third party voice control



Use scene display

