

Odkaz na výrobek: <https://osvetleni-schodiste-led.cz/fut072-18w-antireflexn-rgbcct-led-downlight-miboxer-p-2650.html>

MIBOXER® LEADER OF SMART LIFE



FUT072 18W Antireflexní RGB+CCT LED Downlight Miboxer

Cena	1 635.90 Kč
------	--------------------

Dostupnost	Dostupný
------------	-----------------

Doba zásilky	14 dnů
--------------	---------------

Katalogové číslo	2650
------------------	-------------

Výrobce	Mi.Light
---------	-----------------

Popis výrobku

Název produktu: 18W antireflexní RGB+CCT LED stropní svítidlo

Číslo modelu: FUT072

Výkon: 18W

Vstupní napětí: AC100~240V 50/60Hz

Teplota barev: 2700K~6500K

Světelný tok: 1200lm

CRI:>80

PF: >0,5

Životnost: 50 000 hodin

Úhel paprsku: 60°

Kontrolní vzdálenost: 30m

-

18W Anti-glare RGB+CCT LED Downlight

Anti-glare designing; 2.4G RF remote controller, 16 million color change; Saturation, color temperature and brightness adjustable; Auto-sync and auto-transmitting function make the control distance limitless



16 Millions of
colors to choose



Color temperature
2700~6500K



Dimmable
Saturation control



Support third party
voice control




Signal transmitting &
Modes synchronization






Hole Size: $\varnothing 120-125\text{mm}$



1PC/BOX
G.W.: 0.55KGS





Support Smart phone APP control and third party voice control

It need 2.4GHz gateway(WL-Box1) for smart phone control or third party voice control



16 million color change freely

Make the lighting atmosphere you want easily
satisfy your more using requirements



Warm white to cool white adjustable freely stepless brightness dimming

Color temperature: 2700K~6500K, steplessly adjust the lamp brightness
Soft and delicate light satisfy different lighting requirements



Deeply anti-glare design

Refraction material and deepened cover prevent glare effectively and offer you healthy ambient light



Anti-glare range
(shielding angle) $>30^\circ$



Signal Transmitting

One Downlight can transmit the signals from the remote control to another downlight within 30m, as long as there is a downlight within 30m, the remote control distance can be limitless.

Modes Synchronization

Different downlight can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.



Constant Current & Voltage Driver

Constant current & Voltage driver; Stable Current and Voltage
improve the lifespan of the lights







Výrobek má další možnosti:

Barva světla - MILIGHT: RGB + WW , RGB + CW , CW/WW