



FUTC09 Světlo milight - 18W RGB+CCT inteligentní LED zahradní lampa

Cena	2 306.62 Kč
Dostupnost	Dostupný
Doba záslky	14 dnů
Katalogové číslo	2913
Výrobce	Mi.Light

Popis výrobku

Název produktu: 18W RGB+CCT Smart Garden Light

Číslo modelu: FUTC09

Napětí: 100-240V~ 50/60Hz

Jmenovitý proud: 0,35A

Výkon: 18W

PF: >0,5

Pracovní teplota: -20~45°C

Teplota barev: 2700K~6500K

CRI: >80

Světelný tok: 1500lm

Světelný výkon: 85lm/W

Životnost: 50 000 hodin

Úhel paprsku: 25°

IP: IP66

RF: 2,4 GHz

Ovládací vzdálenost: 30m

18W RGB+CCT LED Garden Light

2.4GHz wireless remote control APP control Support third party voice control
16 million colors to change Adjust color temperature brightness and saturation
Signal transmitting & Modes synchronization



+

Life is beautiful because of you

2.4GHz RF remote control, 16 million color
Color temperature, brightness, saturation
adjustable, make smart lighting atmosphere
meet all your requirement

2.4GHz RF Remote Control

Controlled by 2.4GHz wireless remote, control distance is 30m
(Need purchased separately)

Compatible with



FUT089



FUT088



FUT092



FUT096



B8



B4/T4



B3/T3



B0




WL-Box1




Support Smart phone APP control and third party voice control

It need 2.4GHz gateway(WL-Box1) for smart phone control or third party voice control



Symmetrical and centralized light ray

Beam Angle 25°, more concentrated light






Signal transmitting

One Garden Light can transmit the signals from the remote control to another Garden Light within 30m, as long as there is a Garden Light within 30m, the remote control distance can be limitless.

Modes synchronization

Different Garden Light can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.




High lumen LED Chips

CRI>80, highly restore the color of objects, better heat dissipation and service life



Constant Current & Constant Voltage driver

Built-in smart IC to stabilize current and voltage protect lamp, eradicate flickering



Optical Lens

Anti-dazzling optical lens
diverging light scientifically
Symmetrical and bright light ray



Waterproof and ventilation valve

balance differential pressure inside and outside
Avoid condensation inside the lamp



High efficiency heat dissipation

Integrative Aluminum design
Inserted thermal conduction
Protect light source lifespan

Power cable nut


Copper nickel plating material,
Waterproof and dustproof
Never Rusting



Anti Corrosion inserted pole

Barb design, longer and bigger

Part of application area



Road landscape lighting

