

Odkaz na výrobek: <https://osvetleni-schodiste-led.cz/led-stmva-ovlada-rgb-cct-fut039m-milight-pro-psky-rgb-cct-p-2645.html>

HODVET 2,4GHz RGB+CCT LED ovladač



LED stmívač, ovladač RGB + CCT - FUT039M - MILIGHT pro pásy RGB + CCT

Cena	458.85 Kč
------	------------------

Dostupnost	Dostupný
------------	-----------------

Doba zásilky	4 dny
--------------	--------------

Katalogové číslo	2645
------------------	-------------

Výrobce	Mi.Light
---------	-----------------

Popis výrobku

Název produktu: 2,4GHz RGB+CCT LED páskový ovladač

Číslo modelu: FUT039 (upgradovaný)

Pracovní napětí: DC12V~24V

Pracovní teplota: -20~60°C

Výstup Max: 6A/kanál

Celkový výstup Max: 12A

RF: 2,4 GHz

Vysílací výkon: 6dBm

Ovládací vzdálenost: 30m

Výstupní připojení: Společná anoda

Pokud hledáte produkt, který vám umožní udělat váš domov mnohem modernější, pak sáhněte po nabízeném LED stmívači, ovladač RGB + CCT bude vaše oko. Ovladač umožňuje vzdálenou správu osvětlení a je přizpůsoben oblíbeným vícebarevným páskám. Řešení může dokonale odpovídat očekáváním a uspokojit potřeby všech zákazníků. Ovladač se také připojuje k aplikaci pro chytré telefony. Aniž byste museli vstávat z gauče, budete moci měnit barvu osvětlení nebo jeho intenzitu. Srdečně vás zveme, abyste sáhli po našem vysoce kvalitním produktu.

2.4GHz RGB+CCT LED Strip Controller

2.4GHz Remote control & APP control, Support Third Party Voice Control
DMX512 controllable



16 Millions of
colors to choose



Color temperature
2700~6500K



Dimmable
Saturation control



2.4GHz RF Remote Controllable



Compatible with



FUT089



FUT088



FUT092



FUT096



B8



B4/T4



B3/T3




B0



WL-Box1

Support Smart phone APP control and third party voice control

It need 2.4GHz gateway for smart phone control or third party voice control



DMX512 control panel controllable

DMX512 LED transmitter is needed



16 Millions of colors to choose,
brightness and saturation adjustable randomly

16 Millions of
colors to choose

Dimmable
Saturation control

Brightness adjustable
Color temperature adjustable

Brightness adjustable, Adjust the color temperature from 2700-6500K,
make the light you want




Signal transmitting

One strip controller can transmit the signals from the remote control to another controller within 30m, as long as there is a strip controller within 30m, the remote control distance can be limitless.

Modes synchronization

Different controllers can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.





LED Strip Terminal