Údaje aktuální ke dni: 29-03-2024 16:12

Odkaz na výrobek: https://osvetleni-schodiste-led.cz/futc06-svtlomet-milight-50w-rgbcct-led-zahradn-svtlo-p-2654.html



FUTC06 Světlomet MILIGHT - 50W RGB+CCT LED zahradní světlo

Cena	**5 521.16 Kč**
Dostupnost	**Dostupný**
Doba zásilky	**14 dnů**
Katalogové číslo	**2654**
Výrobce	**Mi.Light**

Popis výrobku

Název produktu: 50W RGB+CCT LED zahradní světlo
Číslo modelu: FUTC06
Výkon: 50W
Vstupní napětí: AC100~240V 50/60Hz
Pracovní teplota: -20-60°C
Teplota barev: 2700K~6500K
Světelný tok: 4000lm
Světelný výkon: 80lm/W
CRI: >80
PF: >0,9
Životnost: 50 000 hodin
Úhel paprsku: 25°
Dosvit osvětlení: >15m
IP: IP65
RF: 2,4 GHz
Ovládací vzdálenost: 30m


50W RGB+CCT LED Garden Light
2.4GHz Remote control & APP control, Support Third Party Voice Control,
Automatic commands transmitting function, Auto-synchronization
16 million colors change
CCT Adjustable
Dimmable Saturation control
IP65
IP65 waterproof rate
IP65


2.4GHz RF Remote Control
The lamp is controlled by 2.4GHz wireless remote; Control distance is within 30m
IP65
Compatible with
FUT089
FUT088
FUT092
FUT095
FUT096
B8
B4/T4
B3/T3
B0
WL-Box1
Mi·Light

Support Smart phone APP control and third party voice control

It need 2.4GHz gateway(WL-Box1) for smart phone control or third party voice control




16 Million colors / Saturation control
IP65

Brightness adjustable & Color temperature adjustable

Brightness adjustable, Adjust the color temperature from 2700-6500K,
make the light you want






Signal transmitting

One lighting fixture can transmit the signals from the remote control to another lighting fixture within 30m, as long as there is a lighting fixture within 30m, the remote control distance can be limitless.

Modes synchronization

Different lighting fixture can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.



High lumen LED Chips

Low power consumption
and luminance decrease;
Bright color and high brightness

Optical Lens

Anti-dazzling optical lens; diverging light scientifically. Symmetrical and bright light ray



High efficiency heat dissipation

Integrative Aluminum design; Inserted thermal conduction, Protect light source lifespan



Waterproof plug

Copper nickel plating material,
Waterproof and dustproof, never rusting

